




Machine center MC series

The best mill for the demanding specialist


Machinebuilders since 1991

Machine center MC series


The best mill for the demanding specialist




Easy and fast programming



Free contour drawing with a minimum of values



3D simulation for testing and time calculation



DxF import from CAD software



STYLE MC750



STYLE MC1000

Easy, smart and simple programming

- Extensive CNC functionality
- 3D simulator program
- Graphic interface on 19" touchscreen
- DxF files import
- Free contour drawing with a minimum of values
- ISO G-codes import, edit and execute
- Easy to learn and use

- Shortcuts and key codes for faster working
- Execute of large G-code programs
- Program with an extensive intuitive control without any G-code knowledge
- Thread repair and prototyping
- Desktop preparation version

The best mill for the demanding specialist

- Class C3 tensioned ballscrew spindles prevent thermal expansion for high accuracy
- The X/Y/Z axis is directly driven by the axis motors for the best positioning accuracy
- Table sizes of 900x410 and 1200x520 mm
- 2 models with X/Y movement from 760x440 to 1000x560 mm
- Stable cast iron frame with linear guides

- Modern CNC machine for productivity, flexibility and easy control
- Designed and built by machine builders
- Optional equipped with other control
- Dutch Design and production

Machinebuilders since 1991

STYLE MC 750-1000 serie

Technical specifications

Machine		MC 750	MC 1000
X axis movement	mm	760	1000
Y axis movement	mm	440	560
Z axis movement	mm	460	550
Table size			
Table size	mm	900 x 410	1200 x 520
T-slots(DIN 650)	mm	16 x 100 x 4	16 x 80 / 100 x 5
Max. tableload	kg	350	800
Workheight table	mm	820	870
Distance spindle nose to table			
Distance spindle nose to table	mm	100 - 560	100 - 650
Distance spindle nose to column	mm	475	595
Main spindle			
Main motor power	kW	5.5 / 7.5	11 / 15 / 18.5 / 22
Maximum spindle speed	rpm	8000 (10000 / 12000)	10000 (12000)
Spindle taper		BT40 / CAT40 / DIN69871	BT40 / CAT40 / DIN69871
X-, Y- and Z-axis			
Rapid movement	m/min	24 / 24 / 24	30 / 30 / 24
Feed rate	m/min	10 / 10 / 10	12 / 12 / 12
Axis guide width	kN	6.4 / 12.7 14.5 / 28.5 (Z-axis)	9.6 / 19.3
Tool changer			
Automatic tool changer	#	16 / 24	20 / 24
General			
Weight	kg	3300	5200
Machine dimension (l/w/h)	m	2.2 x 2.1 x 2.5	3.0 x 2.2 x 3.0
Workspace	m	4.2 x 2.7	5.2 x 2.9

STYLE CNC Machines BV reserves the right to alter specifications without prior notice © 2016 STYLE CNC Machines BV



Service

Machines, control and maintenance. STYLE is a machine manufacturer from development to final product. With the STYLE manufacturer service you benefit of experienced engineers, an actual component stock and extensive training and helpdesk support on your machine.

By our subsidiaries and dealernetwork you receive support in your own language, certified technical support and custom training when required.



Subsidiaries

STYLE CNC Machines	Bunschoten	Holland
Dimatech	Varsseveld	Holland
STYLE CNC Machines BE	Waregem	Belgium
STYLE CNC Machines CZ	Stanovice	Czech Republic & Slovakia
STYLE CNC Machines PL	Katowice	Poland



Slantbed SB series

The best lathe for the demanding specialist



Machine center MC series

The best mill for the demanding specialist

Correspondence
PO box 136
3750 GC Bunschoten
Holland

Production and showroom
Nijverheidsweg 15
3751 LP Bunschoten
Holland

T +31 33 - 205 25 00
E info@stylecncmachines.com
I www.stylecncmachines.com